

9/20/16

# Safety Data Sheet

acc. to OSHA HCS (29 CFR 1910.1200)

Printing date 05/14/2015


Reviewed on 05/14/2015


## 1 Identification

- **Product identifier**
- **Trade name:** Para Dichlorobenzene Screen with Block, Toss-in Blocks, Wall Blocks, Bowl Blocks and 20 Pound Blocks
- **Article number:**  
01991, 01991W, 06901, 06411, 06411W, 06311, 06311W, 01931, 06931W, 08411, 08411W, 48241, 08161W-12, 48161W, 08220, 48169
- **CAS Number:**  
106-46-7
- **Recommended use and restriction on use**
- **Recommended use:** Odor neutralising agent
- **Restrictions on use:** No further relevant information available.
- **Details of the supplier of the Safety Data Sheet**
- **Manufacturer/Supplier:**  
Hospeco  
26301 Curtiss Wright Parkway, Suite 200  
Richmond Heights, OH 44143  
216-535-4300  
info@hospeco.com
- **Emergency telephone number:**  
ChemTel Inc.  
(800)255-3924, +1 (813)248-0585

Health Guards  
PARADICHLOROBENZENE  
BLOCKS Toilet BOWL

## 2 Hazard(s) identification

- **Classification of the substance or mixture**
-  GHS08 Health hazard
- Carc. 2 H351 Suspected of causing cancer.

-  GHS07
- Eye Irrit. 2 H319 Causes serious eye irritation.

· **Additional information:**  
There are no other hazards not otherwise classified that have been identified.  
0 percent of the mixture consists of ingredient(s) of unknown toxicity.

- **Label elements**
- **GHS label elements**  
The substance is classified and labeled according to the Globally Harmonized System (GHS).
- **Hazard pictograms**



(Contd. on page 2)

## Safety Data Sheet

acc. to OSHA HCS (29 CFR 1910.1200)

Printing date 05/14/2015

Reviewed on 05/14/2015

**Trade name: Para Dichlorobenzene Screen with Block, Toss-in Blocks, Wall Blocks, Bowl Blocks and 20 Pound Blocks**

(Contd. of page 1)

- **Signal word** Warning

- **Hazard-determining components of labeling:**

1,4-dichlorobenzene

- **Hazard statements**

H319 Causes serious eye irritation.

H351 Suspected of causing cancer.

- **Precautionary statements**

P264 Wash thoroughly after handling.

P280 Wear protective gloves and eye protection.

P273 Avoid release to the environment.

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read and understood.

P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P308+P313 IF exposed or concerned: Get medical advice/attention.

P337+P313 If eye irritation persists: Get medical advice/attention.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

- **Hazard description:**

- **WHMIS-symbols:**

D2B - Toxic material causing other toxic effects



- **Classification system:**

- **NFPA ratings (scale 0 - 4)**



Health = 1

Fire = 2

Reactivity = 0

- **HMIS-ratings (scale 0 - 4)**



Health = \*1

Fire = 2

Reactivity = 0

\* - Indicates a long term health hazard from repeated or prolonged exposures.

- **Other hazards**

- **Results of PBT and vPvB assessment**

- **PBT:** Not applicable.

- **vPvB:** Not applicable.

(Contd. on page 3)

**Safety Data Sheet**  
acc. to OSHA HCS (29 CFR 1910.1200)

Printing date 05/14/2015

Reviewed on 05/14/2015

**Trade name: Para Dichlorobenzene Screen with Block, Toss-in Blocks, Wall Blocks, Bowl Blocks and 20 Pound Blocks**

(Contd. of page 2)

### 3 Composition/information on ingredients

- **Chemical characterization: Substances**
- **CAS No. Description**  
106-46-7 1,4-dichlorobenzene

### 4 First-aid measures

- **Description of first aid measures**
- **General information:** No special measures required.
- **After inhalation:** Take affected persons into fresh air and keep quiet.
- **After skin contact:**  
Immediately wash with water and soap and rinse thoroughly.  
If skin irritation is experienced, consult a doctor.
- **After eye contact:**  
Protect unharmed eye.  
Remove contact lenses if worn, if possible.  
Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- **After swallowing:**  
Rinse out mouth and then drink plenty of water.  
Do not induce vomiting; immediately call for medical help.
- **Information for doctor:**
- **Most important symptoms and effects, both acute and delayed**  
Headache  
Breathing difficulty  
Coughing  
Dizziness  
Irritant to eyes.  
Nausea  
Gastric or intestinal disorders when ingested.
- **Danger** Suspected of causing cancer.
- **Indication of any immediate medical attention and special treatment needed**  
No further relevant information available.

### 5 Fire-fighting measures

- **Extinguishing media**
- **Suitable extinguishing agents:**  
CO<sub>2</sub>, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- **For safety reasons unsuitable extinguishing agents:** None.
- **Special hazards arising from the substance or mixture**  
Formation of toxic gases is possible during heating or in case of fire.
- **Advice for firefighters**
- **Protective equipment:**  
Wear self-contained respiratory protective device.  
Wear fully protective suit.

(Contd. on page 4)

## Safety Data Sheet

acc. to OSHA HCS (29 CFR 1910.1200)

Printing date 05/14/2015

Reviewed on 05/14/2015

**Trade name: Para Dichlorobenzene Screen with Block, Toss-in Blocks, Wall Blocks, Bowl Blocks and 20 Pound Blocks**

**Additional information** No further relevant information available.

(Contd. of page 3)

### 6 Accidental release measures

**Personal precautions, protective equipment and emergency procedures**

Ensure adequate ventilation.

For large spills, use respiratory protective device against the effects of fumes/dust/aerosol.

For large spills, wear protective clothing.

Keep away from ignition sources.

**Environmental precautions:**

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

**Methods and material for containment and cleaning up:**

Pick up mechanically.

Dispose contaminated material as waste according to item 13.

Send for recovery or disposal in suitable receptacles.

**Reference to other sections**

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

### 7 Handling and storage

**Handling:**

**Precautions for safe handling** Use only in well ventilated areas.

**Information about protection against explosions and fires:**

Keep ignition sources away - Do not smoke.

**Conditions for safe storage, including any incompatibilities**

**Storage:**

**Requirements to be met by storerooms and receptacles:**

Store in a cool location.

Provide ventilation for receptacles.

Protect from humidity and water.

**Information about storage in one common storage facility:**

Store away from foodstuffs.

Store away from oxidizing agents.

**Further information about storage conditions:**

Store in cool, dry conditions in well sealed receptacles.

Keep receptacle tightly sealed.

**Specific end use(s)** No further relevant information available.

### 8 Exposure controls/personal protection

**Additional information about design of technical systems:** No further data; see item 7.

(Contd. on page 5)

## Safety Data Sheet

acc. to OSHA HCS (29 CFR 1910.1200)

Printing date 05/14/2015

Reviewed on 05/14/2015

**Trade name: Para Dichlorobenzene Screen with Block, Toss-in Blocks, Wall Blocks, Bowl Blocks and 20 Pound Blocks**

(Contd. of page 4)

- **Control parameters**

- **Components with limit values that require monitoring at the workplace:**

**106-46-7 1,4-dichlorobenzene**

PEL (USA)	Long-term value: 450 mg/m <sup>3</sup> , 75 ppm
REL (USA)	See Pocket Guide App. A
TLV (USA)	Long-term value: 60 mg/m <sup>3</sup> , 10 ppm
EL (Canada)	Long-term value: 10 ppm IARC 2B
EV (Canada)	Long-term value: 10 ppm
LMPE (Mexico)	Long-term value: 10 ppm A3

- **Additional information:** The lists that were valid during the creation were used as basis.

- **Exposure controls**

- **Personal protective equipment:**

- **General protective and hygienic measures:**

The usual precautionary measures for handling chemicals should be followed.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

- **Engineering controls:** No further relevant information available.

- **Breathing equipment:**

Not required under normal conditions of use.

Use suitable respiratory protective device when high concentrations are present.

For large spills, respiratory protection may be advisable.

- **Protection of hands:**



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

- **Material of gloves**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

- **Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

- **Eye protection:**



Safety glasses

(Contd. on page 6)

## Safety Data Sheet

acc. to OSHA HCS (29 CFR 1910.1200)

Printing date 05/14/2015

Reviewed on 05/14/2015

**Trade name: Para Dichlorobenzene Screen with Block, Toss-in Blocks, Wall Blocks, Bowl Blocks and 20 Pound Blocks**

(Contd. of page 5)

- **Body protection:**  
Not required under normal conditions of use.  
Protection may be required for spills.
- **Limitation and supervision of exposure into the environment** Avoid release to the environment.
- **Risk management measures** See Section 7 for additional information.

### 9 Physical and chemical properties

- **Information on basic physical and chemical properties**

- **General Information**

- **Appearance:**

Form: Solid material

Color: Pink

- **Odor:** Characteristic

- **Odor threshold:** Not determined.

- **pH-value:** Not applicable.

- **Change in condition**

Melting point/Melting range: Undetermined.

Boiling point/Boiling range: 174 °C (345 °F)

- **Flash point:** 65 °C (149 °F)

- **Flammability (solid, gaseous):** Product is not flammable.

- **Auto-ignition temperature:** Not determined.

- **Decomposition temperature:** Not determined.

- **Auto igniting:** Not determined.

- **Danger of explosion:** Product does not present an explosion hazard.

- **Explosion limits:**

Lower: Not determined.

Upper: Not determined.

- **Vapor pressure at 20 °C (68 °F):** 0.6 mm Hg

- **Density:** Not determined.

- **Relative density** Not determined.

- **Vapour density at 20 °C (68 °F)** 5.1 g/cm<sup>3</sup> (42.56 lbs/gal)

- **Evaporation rate** Not applicable.

- **Solubility in / Miscibility with**

Water: Insoluble.

- **Partition coefficient (n-octanol/water):** Not determined.

- **Viscosity:**

Dynamic: Not applicable.

Kinematic: Not applicable.

(Contd. on page 7)

## Safety Data Sheet

acc. to OSHA HCS (29 CFR 1910.1200)

Printing date 05/14/2015

Reviewed on 05/14/2015

**Trade name: Para Dichlorobenzene Screen with Block, Toss-in Blocks, Wall Blocks, Bowl Blocks and 20 Pound Blocks**

**Other information**

No further relevant information available.

(Contd. of page 6)

### 10 Stability and reactivity

- **Reactivity**
- **Chemical stability**
- **Thermal decomposition / conditions to be avoided:**  
Keep away from heat, sparks, open flames, and hot surfaces. - No smoking.
- **Possibility of hazardous reactions**  
Reacts with strong alkali.  
Reacts with strong oxidizing agents.  
Reacts with certain metals.  
Toxic fumes may be released if heated above the decomposition point.
- **Conditions to avoid** No further relevant information available.
- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:**  
Carbon monoxide and carbon dioxide  
Possible in traces:  
Danger of toxic pyrolysis products.  
Hydrogen chloride (HCl)  
Chlorine

### 11 Toxicological information

- **Information on toxicological effects**
- **Acute toxicity:**
- **LD/LC50 values that are relevant for classification:** None.
- **Primary irritant effect:**
- **on the skin:** Slight irritant effect on skin and mucous membranes.
- **on the eye:** Irritating effect.
- **Sensitization:** No sensitizing effects known.
- **Subacute to chronic toxicity:** Suspected of causing cancer.
- **Additional toxicological information:**
- **Carcinogenic categories**

<b>· NTP (National Toxicology Program)</b>	
106-46-7	1,4-dichlorobenzene
	R

<b>· OSHA-Ca (Occupational Safety &amp; Health Administration)</b>
Substance is not listed.

- **Probable Routes of Exposure**

Inhalation.  
Eye contact.  
Skin contact.  
Ingestion.

- **Acute effects (acute toxicity, irritation and corrosivity):** Irritating to eyes.

(Contd. on page 8)

## Safety Data Sheet

acc. to OSHA HCS (29 CFR 1910.1200)

Printing date 05/14/2015

Reviewed on 05/14/2015

**Trade name: Para Dichlorobenzene Screen with Block, Toss-in Blocks, Wall Blocks, Bowl Blocks and 20 Pound Blocks**

(Contd. of page 7)

- **Repeated Dose Toxicity:**  
May cause damage to organs through prolonged or repeated exposure.  
Suspected of causing cancer.

### 12 Ecological information

- **Toxicity**
- **Aquatic toxicity:** Toxic for aquatic organisms
- **Persistence and degradability** No further relevant information available.
- **Behavior in environmental systems:**
- **Bioaccumulative potential** No further relevant information available.
- **Mobility in soil** No further relevant information available.
- **Ecotoxicological effects:**
- **Remark:** Very toxic for fish
- **Additional ecological information:**
- **General notes:**  
Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.
- **Other adverse effects** No further relevant information available.

### 13 Disposal considerations

- **Waste treatment methods**
- **Recommendation:**  
Hand over to hazardous waste disposers.  
Must not be disposed of together with household garbage. Do not allow product to reach sewage system.  
The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all relevant local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and nonhazardous wastes. Residual materials should be treated as hazardous.
- **Uncleaned packagings:**
- **Recommendation:** Disposal must be made according to official regulations.

### 14 Transport information

- **UN-Number**
  - **DOT**
  - **ADR, IMDG, IATA**
- UN3077  
Classification as a MARINE POLLUTANT is based on MARPOL and DOT rules. Labeling as a MARINE POLLUTANT is not required for non-bulk single package shipments by motor vehicle, rail car or aircraft. Bulk packaging consists of a maximum capacity of greater than 450L (119 gallons) for a liquid and a maximum net mass greater than 400kg (882 pounds) for a solid.  
UN3077

(Contd. on page 9)



## Safety Data Sheet






acc. to OSHA HCS (29 CFR 1910.1200)

Printing date 05/14/2015

Reviewed on 05/14/2015

**Trade name: Para Dichlorobenzene Screen with Block, Toss-in Blocks, Wall Blocks, Bowl Blocks and 20 Pound Blocks**

(Contd. of page 8)

<ul style="list-style-type: none"> <li>· UN proper shipping name</li> <li>· DOT, IATA</li> </ul>	<p>Environmentally hazardous substances, solid, n.o.s. (1,4-dichlorobenzene)</p>
<ul style="list-style-type: none"> <li>· ADR</li> <li>· IMDG</li> </ul>	<p>303077 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (1,4-DICHLOROBEZENE) 3077 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (1,4-DICHLOROBEZENE)</p>
<ul style="list-style-type: none"> <li>· Transport hazard class(es)</li> <li>· DOT</li> </ul>	<p>9 Miscellaneous dangerous substances and articles 9</p>
	
<ul style="list-style-type: none"> <li>· Class</li> <li>· Label</li> </ul>	<p>9 Miscellaneous dangerous substances and articles 9</p>
<ul style="list-style-type: none"> <li>· ADR</li> </ul>	
 	
<ul style="list-style-type: none"> <li>· Class</li> <li>· Label</li> </ul>	<p>9 (M7) Miscellaneous dangerous substances and articles 9</p>
<ul style="list-style-type: none"> <li>· IMDG, IATA</li> </ul>	
 	
<ul style="list-style-type: none"> <li>· Class</li> <li>· Label</li> <li>· Packing group</li> <li>· DOT, ADR, IMDG, IATA</li> <li>· Environmental hazards:</li> <li>· Marine pollutant:</li> </ul>	<p>9 Miscellaneous dangerous substances and articles 9 III Yes Symbol (fish and tree) Symbol (fish and tree) Symbol (fish and tree) Warning: Miscellaneous dangerous substances and articles 90 F-A,S-F</p>
<ul style="list-style-type: none"> <li>· Special marking (ADR):</li> <li>· Special marking (IATA):</li> <li>· Special precautions for user</li> <li>· Danger code (Kemler):</li> <li>· EMS Number:</li> <li>· Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code</li> </ul>	<p>Not applicable.</p>
<ul style="list-style-type: none"> <li>· Transport/Additional information:</li> <li>· DOT</li> <li>· Quantity limitations</li> </ul>	<p>On passenger aircraft/rail: No limit On cargo aircraft only: No limit</p>

(Contd. on page 10)

## Safety Data Sheet

acc. to OSHA HCS (29 CFR 1910.1200)

Printing date 05/14/2015

Reviewed on 05/14/2015

**Trade name: Para Dichlorobenzene Screen with Block, Toss-in Blocks, Wall Blocks, Bowl Blocks and 20 Pound Blocks**

<b>Hazardous substance:</b>	100 lbs, 45.4 kg	(Contd. of page 9)
<hr style="border-top: 1px dashed black;"/>		
<b>ADR</b>		
<b>Excepted quantities (EQ)</b>	Code: E1	
	Maximum net quantity per inner packaging: 30 g	
	Maximum net quantity per outer packaging: 1000 g	
<hr style="border-top: 1px dashed black;"/>		
<b>IMDG</b>		
<b>Limited quantities (LQ)</b>	5 kg	
<b>Excepted quantities (EQ)</b>	Code: E1	
	Maximum net quantity per inner packaging: 30 g	
	Maximum net quantity per outer packaging: 1000 g	
<b>UN "Model Regulation":</b>	UN3077, Environmentally hazardous substances, solid, n.o.s. (1,4-dichlorobenzene), 9, III	

### 15 Regulatory information

- Safety, health and environmental regulations/legislation specific for the substance or mixture
- United States (USA)
- SARA

**Section 355 (extremely hazardous substances):**

Substance is not listed.

**Section 313 (Specific toxic chemical listings):**

Substance is listed.

**TSCA (Toxic Substances Control Act):**

Substance is listed.

**Proposition 65 (California)**

**Chemicals known to cause cancer:**

106-46-7 | 1,4-dichlorobenzene

**Chemicals known to cause reproductive toxicity for females:**

Substance is not listed.

**Chemicals known to cause reproductive toxicity for males:**

Substance is not listed.

**Chemicals known to cause developmental toxicity:**

Substance is not listed.

**Carcinogenic categories**

**EPA (Environmental Protection Agency)**

Substance is not listed.

**IARC (International Agency for Research on Cancer)**

106-46-7 | 1,4-dichlorobenzene

2B

**TLV (Threshold Limit Value established by ACGIH)**

106-46-7 | 1,4-dichlorobenzene

A3

(Contd. on page 11)

## Safety Data Sheet

acc. to OSHA HCS (29 CFR 1910.1200)

Printing date 05/14/2015

Reviewed on 05/14/2015

**Trade name: Para Dichlorobenzene Screen with Block, Toss-in Blocks, Wall Blocks, Bowl Blocks and 20 Pound Blocks**

(Contd. of page 10)

· **NIOSH-Ca (National Institute for Occupational Safety and Health)**

Substance is listed.

· **State Right to Know Listings**

Substance is not listed.

· **Canadian substance listings:**

· **Canadian Domestic Substances List (DSL)**

106-46-7 | 1,4-dichlorobenzene

· **Canadian Ingredient Disclosure list (limit 0.1%)**

Substance is not listed.

· **Canadian Ingredient Disclosure list (limit 1%)**

106-46-7 | 1,4-dichlorobenzene

· **Other regulations, limitations and prohibitive regulations**

This product has been classified in accordance with hazard criteria of the Controlled Products Regulations and the SDS contains all the information required by the Controlled Products Regulations.

· **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

### 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· **Date of preparation / last revision** 05/14/2015 / -

· **Abbreviations and acronyms:**

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

WHMIS: Workplace Hazardous Materials Information System (Canada)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

Eye Irrit. 2: Serious eye damage/eye irritation, Hazard Category 2

Carc. 2: Carcinogenicity, Hazard Category 2

· **Sources**

SDS Prepared by:

ChemTel Inc.

1305 North Florida Avenue

Tampa, Florida USA 33602-2902

Toll Free North America 1-888-255-3924 Intl. +01 813-248-0573

Website: [www.chemtelinc.com](http://www.chemtelinc.com)