


MATERIAL SAFETY DATA SHEET

1. Product and Company Identification

Product Name Evap Pow'R RTU (4169) *Nu Calgon Evap Pow'R RTU*
CAS # Mixture
Product use Evaporator Coil Cleaner
Manufacturer Nu-Calgon
 2008 Altom Court
 St. Louis, MO 63146 US
 Phone: 314-469-7000 / 800-554-5499
 Emergency Phone: 1-800-424-9300 (CHEMTREC)

LEGEND HMIS/NFPA	
Severe	4
Serious	3
Moderate	2
Slight	1
Minimal	0

Health	1
Flammability	0
Reactivity	0
Personal Protection	X



2. Hazards Identification

Emergency overview WARNING
 EYE AND SKIN IRRITANT.

Potential short term health effects

Routes of exposure Eye, Skin contact, Skin absorption, Inhalation, Ingestion.

Eyes May cause irritation.

Skin May cause irritation. May be absorbed through the skin.

NIOSH - Pocket Guide - Skin Notations
 Ethylene glycol monobutyl ether 111-76-2 Potential for dermal absorption

Inhalation Excessive intentional inhalation may cause respiratory tract irritation and central nervous system effects (headache, dizziness).

Ingestion May cause stomach distress, nausea or vomiting.

Target organs Blood. Eyes. Kidney. Liver. Respiratory system. Skin.

Chronic effects Prolonged or repeated exposure can cause drying, defatting and dermatitis.

Signs and symptoms Symptoms may include redness, edema, drying, defatting and cracking of the skin. Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting.

3. Composition / Information on Ingredients

Ingredient(s)	CAS #	Percent
Sodium xylene sulphonate	1300-72-7	1 - 5
Ethylene glycol monobutyl ether	111-76-2	0.5 - 1.5

4. First Aid Measures

First aid procedures

Eye contact Immediately flush with cool water. Remove contact lenses, if applicable, and continue flushing for 15 minutes. Obtain medical attention immediately.

Skin contact Flush with cool water. Wash with soap and water. Obtain medical attention if irritation persists.

Inhalation If symptoms develop, move victim to fresh air. If symptoms persist, obtain medical attention. If breathing has stopped, trained personnel should administer CPR immediately.

Ingestion	Do not induce vomiting. Rinse mouth with water, then drink one or two glasses of water. Obtain medical attention. Never give anything by mouth if victim is unconscious, or is convulsing.
Notes to physician	Symptoms may be delayed.
General advice	If you feel unwell, seek medical advice (show the label where possible). Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance. Keep away from sources of ignition. No smoking. Avoid contact with eyes and skin. Keep out of reach of children.

5. Fire Fighting Measures

Flammable properties	Not flammable by WHMIS/OSHA criteria.
Extinguishing media	
Suitable extinguishing media	Water spray. Fog. Dry chemical. Carbon dioxide.
Unsuitable extinguishing media	Not available
Protection of firefighters	
Specific hazards arising from the chemical	Not available
Protective equipment for firefighters	Firefighters should wear full protective clothing including self contained breathing apparatus.
Hazardous combustion products	May include and are not limited to: Oxides of carbon.
Explosion data	
Sensitivity to mechanical impact	Not available
Sensitivity to static discharge	Not available

6. Accidental Release Measures

Personal precautions	Keep unnecessary personnel away. Do not touch or walk through spilled material. Wear appropriate protective equipment and clothing during clean-up. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing.
Methods for containment	Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Stop leak if you can do so without risk. Prevent entry into waterways, sewers, basements or confined areas. Avoid allowing water runoff to contact spilled material.
Methods for cleaning up	Remove sources of ignition. Before attempting clean up, refer to hazard data given above. Small spills may be absorbed with non-reactive absorbent and placed in suitable, covered, labelled containers. Prevent large spills from entering sewers or waterways. Contact emergency services and supplier for advice. Never return spills in original containers for re-use.

7. Handling and Storage

Handling	Use good industrial hygiene practices in handling this material.
Storage	Keep out of reach of children. Store in a closed container away from incompatible materials.

8. Exposure Controls / Personal Protection

Exposure limits Ingredient(s)	Exposure Limits
Ethylene glycol monobutyl ether	ACGIH-TLV TWA: 20 ppm OSHA-PEL TWA: 50 ppm
Sodium xylene sulphonate	ACGIH-TLV Not established OSHA-PEL Not established

Engineering controls	General ventilation normally adequate.
Personal protective equipment	
Eye / face protection	Wear safety glasses with side shields.
Hand protection	Rubber gloves. Confirm with a reputable supplier first.
Skin and body protection	Wear chemical protective equipment that is specifically recommended by the manufacturer. As required by employer code.
Respiratory protection	Where exposure guideline levels may be exceeded, use an approved NIOSH respirator.
General hygiene considerations	Handle in accordance with good industrial hygiene and safety practice. When using do not eat or drink. Wash hands before breaks and immediately after handling the product.

9. Physical & Chemical Properties

Appearance	Clear.
Color	Green
Form	Liquid
Odor	butyl
Odor threshold	Not available
Physical state	Liquid
pH	8 (Concentrate)
Melting point	Not available
Freezing point	0 °C (32.00 °F)
Boiling point	100 °C (212.00 °F)
Flash point	None to boiling
Evaporation rate	Not available
Flammability limits in air, lower, % by volume	Not available
Flammability limits in air, upper, % by volume	Not available
Vapor pressure	Not available
Vapor density	Not available
Specific gravity	1
Octanol/water coefficient	Not available
Solubility (H2O)	Complete
Auto-ignition temperature	Not available
VOC (Weight %)	Not available
Viscosity	Not available
Percent volatile	97

10. Chemical Stability & Reactivity Information

Chemical stability	Stable under recommended storage conditions.
Conditions to avoid	Do not mix with other chemicals.
Incompatible materials	Acids. Oxidizers.
Hazardous decomposition products	May include and are not limited to: Oxides of carbon.
Possibility of hazardous reactions	Hazardous polymerization does not occur.

11. Toxicological Information

Component analysis - LC50

Ingredient(s)	LC50
Ethylene glycol monobutyl ether	2.21 mg/l/4h rat
Sodium xylene sulphonate	Not available

Component analysis - Oral LD50

Ingredient(s)	LD50
Ethylene glycol monobutyl ether	470 mg/kg rat; 320 mg/kg rabbit
Sodium xylene sulphonate	7200 mg/kg rat

Effects of acute exposure

Eye	May cause irritation.
Skin	May cause irritation. May be absorbed through the skin.

NIOSH - Pocket Guide - Skin Notations

Ethylene glycol monobutyl ether 111-76-2 Potential for dermal absorption

Inhalation Excessive intentional inhalation may cause respiratory tract irritation and central nervous system effects (headache, dizziness).

Ingestion May cause stomach distress, nausea or vomiting.

Sensitization Non-hazardous by WHMIS/OSHA criteria.

Chronic effects Non-hazardous by WHMIS/OSHA criteria.

Carcinogenicity Non-hazardous by WHMIS/OSHA criteria.

ACGIH - Threshold Limit Values - Carcinogens

Ethylene glycol monobutyl ether 111-76-2 A3 - Confirmed animal carcinogen with unknown relevance to humans

IARC - Group 3 (Not Classifiable)

Ethylene glycol monobutyl ether 111-76-2 Monograph 88 [2006]

Mutagenicity Non-hazardous by WHMIS/OSHA criteria.

Reproductive effects Non-hazardous by WHMIS/OSHA criteria.

Teratogenicity Non-hazardous by WHMIS/OSHA criteria.

12. Ecological Information

Ecotoxicity Components of this product have been identified as having potential environmental concerns.

Ecotoxicity - Freshwater Fish Species Data

Ethylene glycol monobutyl ether 111-76-2 96 Hr LC50 Lepomis macrochirus: 1490 mg/L [static]

Ecotoxicity - Water Flea Data

Ethylene glycol monobutyl ether 111-76-2 24 Hr EC50 water flea: 1720 mg/L; 24 Hr LC50 Daphnia magna: 1698-1940 mg/L

Environmental effects Not available

Aquatic toxicity Not available

Persistence / degradability Not available

Bioaccumulation / accumulation Not available

Partition coefficient Not available

Mobility in environmental media Not available

Chemical fate information Not available

13. Disposal Considerations

Waste codes Not available

Disposal instructions Consult authorities before disposal. Dispose in accordance with all applicable regulations.

Waste from residues / unused products Not available

Contaminated packaging Not available

14. Transport Information**U.S. Department of Transportation (DOT)**

Not regulated as dangerous goods.

Transportation of Dangerous Goods (TDG - Canada)

Not regulated as dangerous goods.

15. Regulatory Information

Canadian federal regulations

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations and the MSDS contains all the information required by the Controlled Products Regulations.

Canada - WHMIS - Ingredient Disclosure List

Ethylene glycol monobutyl ether 111-76-2 1 %

US Federal regulations

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

U.S. - CERCLA/SARA - Hazardous Substances and their Reportable Quantities

Ethylene glycol monobutyl ether 111-76-2 1 Lb statutory RQ (no final RQ is being assigned to the generic or broad class. Includes mono- and di- ethers of ethylene glycol, diethylene glycol and triethylene glycol R-(OCH₂CH₂)_n-OR" where n = 1, 2 or 3, R = alkyl or aryl groups, R' = R h or groups which when removed yield glycol ethers with the structure R-(OCH₂CH₂)_n-OH. Polymers are excluded from glycol category); 0.454 k

U.S. - CERCLA/SARA - Section 313 - Emission Reporting

Ethylene glycol monobutyl ether 111-76-2 1.0 Percent de minimis concentration (applies to R-(OCH₂CH₂)_n-OR' ethers, where n = 1, 2, or 3, R=alkyl C7 or less or R = phenyl or alkyl subst. phenyl, R' = H or alkyl C7 or less, or OR' consisting of carboxylic acid ester, sulfate, phosphate, nitrate, or sulfonate, Chemical Category N230)

Occupational Safety and Health Administration (OSHA)

29 CFR 1910.1200 hazardous chemical Yes

CERCLA (Superfund) reportable quantity

None

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories
Immediate Hazard - Yes
Delayed Hazard - No
Fire Hazard - No
Pressure Hazard - No
Reactivity Hazard - No

Section 302 extremely hazardous substance No

Section 311 hazardous chemical Yes

Clean Air Act (CAA) Not available

Clean Water Act (CWA) Not available

Safe Drinking Water Act (SDWA) Not available

Drug Enforcement Agency (DEA) Not available

Food and Drug Administration (FDA) Not available

WHMIS status Controlled

WHMIS classification Class D - Division 2B

WHMIS labeling



State regulations

This product does not contain a chemical known to the State of California to cause cancer, birth defects or other reproductive harm.

U.S. - California - 8 CCR Section 339 - Director's List of Hazardous Substances

Ethylene glycol monobutyl ether 111-76-2 Present

U.S. - Illinois - Toxic Air Contaminants

Ethylene glycol monobutyl ether 111-76-2 Present

U.S. - Louisiana - Reportable Quantity List for Pollutants

Ethylene glycol monobutyl ether 111-76-2 100 Lb RQ

U.S. - Massachusetts - Right To Know List

Ethylene glycol monobutyl ether 111-76-2 Present

U.S. - Minnesota - Hazardous Substance List

Ethylene glycol monobutyl ether 111-76-2 Skin

U.S. - New Jersey - Right to Know Hazardous Substance List

Ethylene glycol monobutyl ether 111-76-2 sn 0275

U.S. - Pennsylvania - RTK (Right to Know) List

Ethylene glycol monobutyl ether 111-76-2 Present

U.S. - Rhode Island - Hazardous Substance List

Ethylene glycol monobutyl ether 111-76-2 Toxic (skin)

Inventory name

Country(s) or region	Inventory name	On inventory (yes/no)*
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

16. Other Information

Disclaimer

Information contained herein was obtained from sources considered technically accurate and reliable. While every effort has been made to ensure full disclosure of product hazards, in some cases data is not available and is so stated. Since conditions of actual product use are beyond control of the supplier, it is assumed that users of this material have been fully trained according to the requirements of all applicable legislation and regulatory instruments. No warranty, expressed or implied, is made and supplier will not be liable for any losses, injuries or consequential damages which may result from the use of or reliance on any information contained in this document.

Issue date

21-Jul-2011

Effective date

21-Jul-2011

Expiry date

21-Jul-2014

Prepared by

Nu-Calgon Technical Service (314) 469-7000