

10/12/2018

MATERIAL SAFETY DATA SHEET
TRIM SOL®

Trim SOL Chemical
Emulsion Concentrate

1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Product name TRIM SOL®

Material type General-purpose Emulsion

Classification/synonym(s) Chemical emulsion/Soluble oil

Product use Coolant and lubricant in metal removal processes

Manufacturer address MASTER CHEMICAL CORPORATION
501 West Boundary
Perrysburg, OH 43551-1200
419-874-7902

Emergency telephone 800-424-9300 **Fax number** 419-874-0684

2. COMPOSITION/INFORMATION ON INGREDIENTS

COMPONENT	OSHA PEL	ACGIH TLV	OTHER LIMITS RECOM.	CAS #	%RANGE
Severely hydrotreated petroleum oil	5mg/m ³ (mist)	5mg/m ³ (mist)	none	64742-52-5 64742-58-1 64742-54-0	55-65

The exact chemical identities and percentages of the raw materials used in TRIM SOL® are trade secrets. This information is being withheld as provided for in the Occupational Safety and Health Administration's Hazard Communication Rule (29 CFR 1910.1200).

3. HAZARDS IDENTIFICATION

Emergency overview Blue green liquid
No immediate hazard
Fire may produce oxides of carbon, nitrogen, sulfur, and acid chlorides

POTENTIAL HEALTH EFFECTS

Acute effects of overexposure	Eye Contact	Transient irritation
	Skin Contact	Possible defatting, nonirritant, nonsensitizer
	Inhalation	Nontoxic
	Ingestion	Nontoxic
	Skin Absorption	Nontoxic

**Chronic effects of
overexposure** None currently known

**Product/Ingredients listed as
carcinogen or potential carcinogen?** NTP Annual Report No IARC Monographs No
OSHA No

Signs and symptoms of exposure None

Medical conditions generally aggravated by exposure None known

4. FIRST AID MEASURES

Emergency and first aid procedures	Eyes	Flush immediately with cool, clean water for at least 15 minutes
	Skin	Wash with mild soap and warm water
	Inhalation	Move to fresh air
	Ingestion	If large quantities are ingested, contact a physician

In every case get medical attention as required

5. FIRE FIGHTING MEASURES

Flash point (test method) >230°F (>110°C) (COC) **Flammable limits** Not determined

Extinguishing media As appropriate for the surrounding fire: water (flood with water), dry chemical, CO₂, or "alcohol" foam

Special fire fighting procedures None **Unusual fire and explosion hazards** None

6. ACCIDENTAL RELEASE MEASURES

Steps to be taken if material is released or spilled Mop up or use dry absorbent

7. HANDLING AND STORAGE

Precautions to be taken in handling and storing Avoid contact with eyes. Avoid prolonged or repeated skin contact with the concentrate. Wash thoroughly after handling. Do not swallow.

Other precautions Refer to container labels.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Respiratory protection (Specify type) None

Ventilation	Local exhaust	Not normally required
	Mechanical (General)	General room ventilation should be sufficient
	Special	None
	Other	None

Protective gloves None

Other protective equipment None

Eye protection Safety glasses

Exposure limits None established by ACGIH or OSHA for product as whole
Refer to Section 2

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	Blue-green liquid
Odor	Mild, sweet

pH of concentrate	9.0 – 9.1
Typical operating pH (as range)	8.0 – 9.0
Boiling point (ASTM D86)	>208°F (>98°C)
Freezing point	0°F (-18°C)
Solubility in water	Soluble
Specific gravity (H ₂ O=1)	1.002
V.O.C. Content (EPA Method 24)	1.945 lbs/gal
Evaporation rate (butyl acetate=1)	0.012

10. STABILITY AND REACTIVITY

Stability	Stable	Conditions to avoid	None
Incompatibility (materials to avoid)	Strong acids and oxidizers		
Hazardous combustion or decomposition products	Thermal decomposition (fire) may produce oxides of carbon, nitrogen, sulfur, and acid chlorides		
Hazardous polymerization	Will not occur	Conditions to avoid	None

11. TOXICOLOGICAL INFORMATION

Study	Test Animal	Concentrate	Results	10% Solution
Acute inhalation toxicity	Rat	---		nontoxic LC ₅₀ >225mg/l
Acute oral toxicity	Rat	nontoxic LD ₅₀ >5g/kg		nontoxic
Acute dermal toxicity	Rabbit	nontoxic LD ₅₀ >2g/kg		nontoxic
Primary skin irritation	Rabbit	irritant PDI index=6.75		nonirritant PDI index=0.00
Primary eye irritation	Rabbit	irritant		nonirritant
Repeated insult patch	Human volunteers	---		possible defatting nonirritant nonsensitizer

12. ECOLOGICAL INFORMATION

No data available

13. DISPOSAL CONSIDERATIONS

Waste disposal method Must comply with local, state, and federal regulations. If pre-treatment is needed, chemical treatment or ultrafiltration may be used. Contact Master Chemical Tech Line (1-800-537-3365) for assistance.

14. TRANSPORT INFORMATION

Department of Transportation **DOT Hazard Class:** None
TRIM SOL® is not classified as a hazardous material by DOT.

15. REGULATORY INFORMATION

Resource Conservation and Recovery Act **EPA Hazardous Waste Number(s):** None
TRIM SOL® is not classified as a hazardous waste by EPA.

Toxic Substances Control Act All TRIM SOL® ingredients are listed on the TSCA Inventory of Chemical Substances.

Superfund Amendments and Reauthorization Act of 1986 TRIM SOL® does not contain any Section 302/304 Extremely Hazardous Substances or Section 313 Toxic Chemicals.

16. OTHER INFORMATION

	HMIS Hazard Index	Concentrate	NFPA Rating
(Health)	H = 1		H = 1
(Fire)	F = 0		F = 0
(Reactivity)	R = 0		R = 0
(Personal Protection)	PP = A (safety glasses)		Special hazards = none

Typical Working Solution

H = 1	H = 1
F = 0	F = 0
R = 0	R = 0
PP = A (safety glasses)	Special hazards = none

Key 0 = minimal 1 = slight 2 = moderate 3 = serious 4 = severe

This information is intended solely for the use of individuals trained in the particular system.

TRIM SOL® is a registered trademark of Master Chemical Corporation.
(C) 1963 – 2009 Master Chemical Corporation.

The information herein is given in good faith and believed current as of the date of this MSDS. Because conditions of use are beyond our control, no guarantee, representation, or warranty expressed or implied is made. Consult Master Chemical Corporation for further information.

Date of preparation December 21, 2009